



1:20
Section



FOUNDATION NOTES:
DENSE CONCRETE BLOCK DRY LAID OR MORTARED TOGETHER. MASS CONCRETE PAD SIZE AND DEPTH DEPENDENT ON LOCAL GROUND BEARING CONDITIONS. SPECIFIC DETAILS OF FOUNDATIONS TO BE DETERMINED BY STRUCTURAL ENGINEER.
ON EXPOSED SITES, FOUNDATIONS SHOULD ALSO BE DESIGNED TO RESIST WIND UPLIFT AND OVERTURNING FORCES.
WHERE SNOW DRIFTS COULD OCCUR ON ROOFS OF GROUPED UNITS, OR ON UNITS ADJACENT TO OTHER BUILDINGS, AN ASSESSMENT OF SNOW LOADS IN ACCORDANCE WITH BS 6399 PART 3 SHOULD BE MADE.

LIMITS OF APPLICABILITY - GEOMETRIC, GEOGRAPHIC & SITE LIMITATIONS:
THE FOLLOWING LIMITATIONS APPLY, DEVIATION FROM WHICH WILL REQUIRE FURTHER STRUCTURAL INVESTIGATION AND/OR PROJECT SPECIFIC APPRAISAL TO CONFIRM SUITABILITY:
- MAXIMUM SINGLE STOREY STRUCTURE, COVERING UK MAINLAND SITES WITH A BASIC WIND SPEED UP TO 25.5M/S AS DEFINED IN EN 1991-1-4 - COVERING THE LINE DRAWN APPROXIMATELY BETWEEN GLASGOW & ABERDEEN ON FIG. NA.1 WITHIN UK NAD TO EN 1991-1-1-4.
- MAXIMUM SITE ALTITUDE TO 100 M ALTITUDE ABOVE SEA LEVEL, AND NOT LOCATED IN AREAS OF SEVERE WIND EXPOSURE, E.G. TOP OF ESCARPMENTS.
- BUILDING TAKEN TO BE 50KM FROM THE COAST, EXCEPT WHERE THE NEAREST COASTLINE IS THE EAST COAST OF THE UK. IN THIS SITUATION THE DISTANCE TO THE COAST IS REDUCED TO 5KM.
FOR GEOMETRIC, LOADING, SITE CONDITIONS THAT DO NOT SATISFY ALL OF THE ABOVE, A SITE SPECIFIC LOAD AND BUILDING APPRAISAL WILL BE REQUIRED TO JUSTIFY THE SUITABILITY OF THE FOUNDATION DESIGN.

0 0.2m 0.5m ORIGINAL SHEET SIZE A3
1:20

THIS DRAWING IS PRODUCED FOR USE IN THIS PROJECT ONLY AND MAY NOT BE USED FOR ANY OTHER PURPOSE. NPS PROPERTY CONSULTANTS LTD ACCEPT NO LIABILITY FOR THE USE OF THIS DRAWING OTHER THAN THE PURPOSE FOR WHICH IT WAS INTENDED IN CONNECTION WITH THIS PROJECT AS RECORDED IN THE 'PURPOSE FOR ISSUE' AND 'FILE STATUS CODE'.
THIS DRAWING MAY NOT BE REPRODUCED IN ANY FORM WITHOUT PRIOR WRITTEN AGREEMENT.
© CROWN COPYRIGHT AND DATABASE RIGHTS 2019 ORDNANCE SURVEY LICENCE NUMBER: 100019340.



Notes:

External Dimensions of kitchen units
Length 8.6m
Width 9.8m
Height 2.8m
Height on lorry 4.2m
Weight 7 tonnes per module

| FIRST ISSUE | | | | | | |
|-------------|-------|----------|---------|----------|----------|----------|
| REV | DA | 13.11.25 | TN | 14.11.25 | RA | 14.11.25 |
| P1 | DA | 13.11.25 | TN | 14.11.25 | RA | 14.11.25 |
| REV | DRAWN | DATE | CHECKED | DATE | APPROVED | DATE |



CLIENT
LBWF

PROJECT
Yardley PS 1FE Expansion, Hawkwood Crescent, E4 7PH

TITLE
Temporary kitchen section and details

SCALE 1:20 DISCIPLINE Architect PROJECT NUMBER 116612

DRAWING NUMBER EVO-ZZ-XX-D-A-A-043 REV CODE P1

STATUS CODE S2 PURPOSE OF ISSUE Information Drawn by DA Checked by TN Approved by RA